

wget is a command-line tool used to download files from the web, supporting HTTP, HTTPS, and FTP protocols.

Table of Contents



- [Basic Usage](#)
- [Resume Interrupted Downloads](#)
- [Download Multiple Files](#)
- [Mirroring a Website](#)
- [Download with Authentication](#)
- [Limiting Download Speed & Retries](#)
- [Downloading in Background](#)
- [Checking File Integrity](#)
- [Downloading Specific File Types](#)
- [Summary](#)

Basic Usage

Command	Description
wget URL	Download a file from a URL.
wget -O filename URL	Download and save as a specific filename.
wget -P /path/to/dir URL	Download to a specific directory.
wget -q URL	Quiet mode (no output).
wget -nv URL	Minimal output (non-verbose).

Example: Download a file and rename it

```
wget -O myfile.zip https://example.com/file.zip
```

Resume Interrupted Downloads

Command	Description
wget -c URL	Resume an interrupted download.

Example: Resume a large download

```
wget -c https://example.com/largefile.zip
```

Download Multiple Files

Command	Description
<code>wget -i file.txt</code>	Download URLs listed in file.txt.

Example: Download multiple files from a list

1. Create a file with URLs (urls.txt):

```
https://example.com/file1.zip  
https://example.com/file2.zip  
https://example.com/file3.zip
```

2. Run:

```
wget -i urls.txt
```

Mirroring a Website

Command	Description
<code>wget -m URL</code>	Mirror a full website.
<code>wget -mirror -convert-links -P /path/to/dir URL</code>	Download and fix links for offline browsing.

Example: Download an entire website

```
wget -m https://example.com
```

Download with Authentication

Command	Description
<code>wget -user=username -password=password URL</code>	Download from password-protected sites.

Command	Description
wget -http-user=username -http-password=password URL	HTTP authentication.
Example: Access a protected file	
wget --user=admin --password=secret https://example.com/private.pdf	

Limiting Download Speed & Retries

Command	Description
wget -limit-rate=200k URL	Limit speed to 200KB/s.
wget -tries=5 URL	Retry 5 times if the download fails.
Example: Download with limited bandwidth	
wget --limit-rate=500k https://example.com/bigfile.iso	

Downloading in Background

Command	Description
wget -b URL	Run in background.
wget -o log.txt URL	Log output to a file.
Example: Background download with logging	
wget -b -o download.log https://example.com/large.iso	

Checking File Integrity

Command	Description
wget URL && md5sum file	Verify file integrity.
Example: Check MD5 checksum after download	

```
wget https://example.com/file.iso
md5sum file.iso
```

Downloading Specific File Types

Command	Description
<code>wget -r -A "*.pdf" URL</code>	Download only PDFs from a site.
Example: Download all .jpg images from a site	
<code>wget -r -A "*.jpg" https://example.com/images/</code>	

Summary

Feature	Command Example
Basic Download	<code>wget URL</code>
Resume Download	<code>wget -c URL</code>
Save with Custom Name	<code>wget -O file.zip URL</code>
Download Multiple URLs	<code>wget -i urls.txt</code>
Limit Download Speed	<code>wget --limit-rate=500k URL</code>
Mirror Website	<code>wget -m https://example.com</code>
Background Download	<code>wget -b URL</code>
Authentication	<code>wget --user=admin --password=secret URL</code>

This Linux wget Cheat Sheet helps you download files efficiently using various options!